



File Name: canon d860 copier manual.pdf

Size: 4740 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 23 May 2019, 13:20 PM

Rating: 4.6/5 from 748 votes.

Status: AVAILABLE

Last checked: 18 Minutes ago!

In order to read or download canon d860 copier manual ebook, you need to create a FREE account.

[**Download Now!**](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with canon d860 copier manual . To get started finding canon d860 copier manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



Book Descriptions:

canon d860 copier manual

This documentation has been designed so that you can All rights reserved. No part of this publication may be reproduced, transmitted, All rights reserved. No part of this publication may be reproduced, transmitted, transcribed, stored in a retrieval system, or translated into any language or computer language in any form or by any means, electric, mechanical, magnetic, optical, chemical, manual, or otherwise, without the prior written permission of Canon, Inc. This means that the machine does not produce hazardous laser radiation. Since radiation emitted inside the machine is completely confined within protective housings, and external covers, the laser beam cannot escape from the machine during any phase of user operation. You can also register your copier with us. Call the Canon USA Consumer Information Center between 8 a.m. and 8 p.m. EST, Monday through Friday, except holidays. If you encounter a problem with the machine's operation, try to solve it by using the information in Chapter 6. If you cannot solve the problem or if you think your machine needs servicing, contact your service representative. Also do not spill water, liquid or inflammable substances inside the machine. If these items come into contact with highvoltage parts inside of the machine, it may result in a fire or electrical shock. If these items are dropped or spilled in the machine, unplug the power cord immediately with dry hands. Front View PLATEN UNIT LEVER Use it to release and slide the platen unit. PLATEN UNIT Slide it to the left when you install the cartridge, or remove jammed paper. Some types of paper available at office supply stores may not be suitable for this machine. If you have any questions about paper and transparencies, consult your dealer or Canon Customer Relations. CAUTION Grip the cassette handle, and pull it out towards you until the cassette comes to a. If copying is performed when the cassette is not pushed in completely, it will cause a paper jam.<http://germanlanguagecircle.com/userfiles/daewoo-scan-100-manual.xml>

- **canon d860 copier manual, canon d860 copier manual pdf, canon d860 copier manual free, canon d860 copier manual software, canon d860 copier manual downloads, canon d860 copier manual 2017, canon d860 copier manual online, canon d860 copier manual instructions, canon d860 copier manual 2016.**

If copy paper is sticking out of the cassette Sometimes, when you pull out the cassette, paper may stick out, as shown in the illustration below. You can adjust the cassette to hold the following standard paper sizes LGL and LTR. If you want to make copies on any other size paper, use the multipurpose tray. Using other envelopes may affect the quality of the print image. Arrange the stack of envelopes on a firm, clean surface, and press down firmly on the edges to make the folds crisp. Fan the edges that will feed into the machine first, then tap the edge of multipage documents on a flat surface to even the stack. Adjust the slide guides to the width of the document. Three modes are available for adjusting image quality. Press Image Quality to select the image quality. 1 0 0 % L T R T E X T Each time Image Quality is pressed, the image. Place the next page of the document on the platen glass. Portrait orientation documents Place the page so that the top edge is opposite to the top edge of the previous page. This is caused by paste, ink, correction fluid, or other foreign matter in the read area between of the platen glass. NOTE If white streaks or light bands are displayed on copies, or. Position the arrow mark on the cartridge toward the inside of the machine, and gently slide the cartridge into the machine as far as it will go. Please Note Do not send defective cartridges for replacement. Residents of Alaska and Hawaii Do not use the UPS authorized returning label. For Alaska and Hawaii Canon set up alternative mail service with the U.S. Postal Service. Please call 1800OKCANON to receive U.S. Postal Service merchandise returning label. This donation is utilized in Canada. Removing Jammed Paper from Inside the Main Unit When print media

jams inside the main unit, the LCD displays REC. PAPER JAM and SLIDE PLATEN LEFT. Open the right cover. Gently remove any jammed paper from inside the main unit, then close the right cover. <http://indahpesona.com/userfiles/3sge-workshop-manual-download.xml>

Gently remove the jammed paper from the document output slot of the ADF. Open the feeder cover and gently remove the jammed paper from the ADF. This section describes the general messages and ones related to copy functions. ON GLASS platen glass. The toner inside the cartridge is REPLACE CARTRIDGE running low. The paper in the cassette has run START AGAIN out, the toner is running low, paper jams have occurred, or the paper. They will cause a paper jam. The paper you are using may be causing the jams. If the message is still displayed, unplug the machine and call your service representative. If You Cannot Solve the Problem If you have a problem with your machine and you cannot solve it by referring to the information in this chapter, call your service representative. Available menus differ depending on the machine type. This chapter explains the procedure to access the menus, and the contents of the menus related to the common settings and the copy functions. For highquality copies, we recommend using paper and transparencies recommended by Canon. Some types of paper available at office supply stores may not be suitable for this copier. If you have any questions about paper and transparencies, consult your dealer or Canon Customer Relations. To get your machine ready for use, please follow the instructions in this document before referring to any other documentation. Unpack the machine and its components. Check that you have the following. Place the cartridge on a flat and stable surface, grip the sealing tape tab, and snap in the direction shown. Make sure that the tab is detached from the cartridge. Connect the telephone cable and any necessary external device. Only for the imageCLASS D880 model Telephone line cord Connect the supplied telephone line to the Then connect the other end to the telephone line jack on your wall. External device optional Connect the cord of an extension telephone,.

When the power cord is plugged into both the machine and a power outlet, the machine will turn on. The LCD displays PLEASE WAIT. Please wait until the LCD display returns to the Copy Mode standby display. Connect the supplied power cord to the power cord connector on the left side of the machine. Press Additional Functions. Press Additional Functions. Type D\SETUP.EXE if your CDROM drive is drive D in the Click Canon iC D800 Install. Add Printer Wizard dialog box appears. Select Local Printer, then click Next. Add Printer Wizard dialog box appears. Click Next. Select Use the following port. Select the printer port the machine is connected to usually LPT1 Recommended Printer Port, then click Next. All other products and brand names are registered trademarks or trademarks of their respective owners. This page requires Javascript. Modify your browsers settings to allow Javascript to execute. See your browsers documentation for specific instructions. To install your download click on the name of the downloaded file. Please click below to find a quick resolution to your inquiry. See the warranty card for details. The driver may be included in your OS or you may not need a driver. Recommended Drivers File Name Date File Size Optional Drivers File Name Date File Size Recommended Software File Name Date File Size Optional Software File Name Date File Size Recommended Manuals File Name Date File Size Optional Manuals File Name Date File Size This warranty shall not extend to consumables such as paper, as to which there shall be no warranty or replacement. Warranty replacement shall not extend the original warranty period of the Product. Note that a dated proof of purchase is required at the time of service. This requirement will be satisfied by providing a copy of your dated bill of sale or invoice. You must contact an ASF during such ASFs normal business hours to schedule the repair.

If shipping is involved, it is your responsibility to properly package and send the Product at your cost to the ASF, together with your dated proof of purchase and a complete explanation of the problem. A Product covered by this limited warranty will be repaired and returned to you without charge by the ASF. Repairs not covered under this warranty will be charged to you at the thencurrent service rates

of the ASF. If the problem cannot be corrected over the telephone, the Canon USA Help Desk will have a local service technician contact you to arrange for next business day service. You will be charged at the then current service call rates of the ASF if the defects in the Product are not covered by this limited warranty, or if the first year of the warranty period on the Product has expired or has not been sufficiently established by appropriate documentation. Canon USA does not guarantee next business day service in the event of the occurrence of factors beyond Canon USA's reasonable control. Repairs of such Canon brand peripheral equipment shall be governed by the terms of the Separate Warranty. The sole warranty, if any, with respect to such nonCanon brand items is given by the manufacturer or producer thereof. For further information on software, see below. Nor does this warranty extend to any Product on which the original identification marks or serial numbers have been defaced, removed, or altered. The warranty in the preceding sentence applies to Toner and Drums. A defective Toner or Drum returned to Canon U.S.A., Inc., Canon Canada, Inc. or an authorized service center within the warranty period for any Drum i.e. Canon USA, Inc., Canon Canada, Inc. or a Dealer. To obtain the shipping address of Canon U.S.A, Inc. or Canon Canada, Inc., please call the Canon U.S.A., Inc. Help Desk at 18008284040 or Canon Canada Technical Support at 1800OKCANON. Shipping charges, if any, must be prepaid. If your Toner or Drum is covered by this Inc. or the Dealer from whom you purchased the Toner or Drum.

Toner or Drum yield will vary depending on average density of originals copied and other factors which damage the Toner or Drum or cause abnormally frequent service calls or service problems. Nor does it keep from contact with oxidizing materials. Refer to instructions for handling and storing. Scroll down to easily select items to add to your shopping cart for a faster, easier checkout. Visit the Canon Online Store With USB and parallel connectivity from your device to your ethernet port, the AXIS 1650 offers reliable network printing that can be managed directly from your web browser. Use this manual when you need quick reference help for the printer feature of your machine. Next Use this manual when you need quick reference help for the printer. Page 2 Using Your Documentation. Your machine includes the following documentation. This documentation has been designed Page 3 How This Manual Is Organized Trademarks. Canon, the Canon Logo, and imageCLASS are trademarks of Canon Inc. Page 5 Contents. Chapter 1 Before You Start Please read the list below of symbols, terms, and abbreviations. In this manual, product names and model names are abbreviated as follows. Page 9 Before You Start Chapter 1. Before You Start. This chapter provides an explanation of the system environments required for using CAPT. CAPT Canon Advanced Printing Technology gives users of Microsoft Windows 95, Windows 98, Windows Millennium Edition, Windows NT Version. Page 11 Where to Find Help. Here's where to get immediate help if you are having problems installing or using the Installing the Printer Driver Technology CAPT. This chapter describes CAPT Canon Advanced Printing Technology. It. Page 13 What is CAPT. Canon Advanced Printing Technology CAPT. This is a software that extends the power of the Windows operating system. Page 17 7 The Add New Hardware Wizard Canon iC D800 appears. Page 18 9 Click only Specify a location and Browse. Click OK to close the The Add Printer Wizard dialog box appears.

Click Page 21 4 The Wizard displays a list of available printers. Page 25 3 The Found New Hardware Wizard dialog box appears. Page 26 5 The Found New Hardware Wizard dialog box appears. Page 32 11 Click Yes recommended if you want to print a test page, or No if you do not want to. Page 34 Checking "Automatically detect and install my Plug and Play printer" is not Page 35 7 The Install From Disk dialog box appears. Page 37 11 Click Yes if you want to print a test page, or No if you do not want to print. Page 38 14 If you opted to print a test page, the test page prints after the installation completes, and the Page 42 Printer Sharing. By using your imageCLASS D800 series machine on a network, users can share the device for Page 44 5 Select File and printer sharing for Microsoft Networks in the Network Services box, then Page 46 Printer Settings Page 47 User level access control Page 48 4 Click OK when you have finished adding users. Page 50 Add Server Service Windows 2000 Page 52 Printer Sharing Settings Page 53 Canon iC D800 Group. After installation is

complete, CAPT program group is created. You can select the following from the. Page 54 Printing with CAPT. CAPT offers bidirectional communication between the computer and machine. To takePage 55 Printer Properties Chapter 3. Printer Properties. This chapter describes the dialogs and settings on the Printer Properties screens. It includes the. With CAPT, you initiate printing as you normally would from a Windows application. From the. Lets you print a test page or define separator pages. Refer to your Windows operating system. Specifies the printer port and timeout settings. Refer to your Windows operating systemSpecifies the printerssharing settings. This tab is available only when file and printer sharing is. Specifies paper size, scaling, number of copies, orientation, and pages per sheet.This option only appears when 1 Page per. Sheet is selected as.

Page 62 Selecting a Custom Paper Size SettingOverlay Printing allows to overlay the document created in any Windows application onto aFor example,. Page 64 Setting Overlay. To make settings for overlay, printing click Overlay.The OverlaySpecifies how final output is collated and printing pages in reverse output order. Check the. Specifies the paper source and paper type settings.Paper Source lets you specify paper. Specifies the resolution, halftoning method, brightness, and contrast settings.Resolution lets you specify the. Page 69 Detailed Settings. Details. accesses the settings for toner saver, and Image Refinement. Toner Save thins the black areas of print. Properties and Default Document Properties. Specifies to print a test page and separator pages. Refer to your Windows operating system. Lets you define print spooling settings. Refer to your Windows operating systemLets you specify security settings. Refer to your operating system documentation for moreUsing the custom forms defined on the. Forms. Page 75 Setting up custom paper sizesSpecifies paper size, scaling, number of copies, orientation, and pages per sheet.Default. Page 78 View Settings. To get a quick view of your current settings, click View Settings, which is located on the Page. Page 79 Setting Overlay. To make settings for overlay printing click Overlay.The OverlayPrint results may differ depending on the placement of the overlay and application print data. Specifies how final output is collated and sets printing pages in reverse output order. Check. Specifies the paper source and paper type settings.Paper Source lets you specify. Specifies the resolution, halftoning method, brightness, and contrast settings.Resolution lets you specify the. Page 84 Detailed Settings. Details. accesses the settings for toner saver and Image Refinement. Toner Save thins the black areas of print. Page 85 Checking the Status of a Print Job Chapter 4. Checking the Status of a. Print Job.

This chapter describes how to check the status of print jobs. Page 86 Opening the Status Window. The Canon iC D800 Status Window opens automatically in the following situations. The Status Window is a program used to display the status of jobs and. Job Menu. You can select the Job menu from the menu bar of the Canon. Page 89 Settings Menu. You can select the Settings menu from the menu bar of the Canon iC D800 Status Window. You can select the Help menu from the menu bar of the Canon iC D800. The toolbar has three buttons that you can use to pause, resume, or delete the current. Print Job DetailsThis tab shows information. Page 94 Print Job Log. This tab shows information related to jobs that are completed. The following types of 4This tab shows information related to the jobs that have not yet started. 4Page 96 Network Printer Status. Viewing the print status. The status of a network printer can be viewed on the print server. Page 97 The Status Window Icon. If you minimize the Status Window, the icon on the taskbar inform you the printer status. Page 98 Troubleshooting Chapter 5. Troubleshooting. This chapter includes information to help you solve printer problems. A problem might haveProblem Cause Solution. Printer does not Paper might not be loaded. Make sure that paper is loaded. Page 100 Problem Cause Solution. Printout is wrong There might be a Make sure that your cable connections arePage 101 CAPT Problems. Problem Cause Solution. CAPT is not working The CAPT Canon iC Specify the CAPT Canon iC D800. Page 102 Problem Cause SolutionROM" error when. Page 103 CAPT MessagesCommunication error Your computer and printer are not communicating. This happens ifPage 105 Using the Trouble ShooterWhile Trouble. Page 107 Uninstalling CAPTPrinting speed 16

pages per minute Letter. Resolution 600 dpi. Paper sizes Adapter. An optional device. Page 110 Collate. To print multiple copies of a multipage document in sequential page order. Command.

An instruction that tells the printer. Page 111 Folder. A container in which documents, program files, and other folders are stored on your disks. Formerly referred to as. Page 112 J. Jam. A situation created when paper becomes caught along the paper path. You must remove Page 113 Overlay. Refers to printing in which data that is common to all the pages, such as a logo, titles or. Page 114 Platen. The document scanning unit. Slide it aside to access internal parts of the machine for Random Access Memory RAM. The working memory of the computer in which programs and data are temporarily stored The menu that presents commands that are a starting point for all work you do on your USB interface. Universal Serial Bus. A new serial interface standard which automatically recognizes Page 118 Index Index. Numerics D Abnormal. Page 119 L Plug and play for USB Port Scaling G7 Uninstallation 510 Security tab, Windows. You may find documents other than just We keep our list of direct Canon imageCLASS D860 driver and firmware links up to date so they are easy to find when you need them. This documentation has been designed so that you can easily use your machine to suit your particular needs. Setting up the machine. Setting up paper. Installing Printer Driver. Document and paper handling. Making copies. Maintenance. Troubleshooting feed and copy issues. Sending and receiving faxes. Speed dialing. Troubleshooting fax issues. Printing with CAPT. Checking the status of a print job. All rights reserved. No part of this publication may be reproduced, transmitted, transcribed, stored in a retrieval system, or translated into any language or computer language in any form or by any means, electric, mechanical, magnetic, optical, chemical, manual, or otherwise, without the prior written permission of Canon, Inc. Trademarks Canon is a registered trademark and UHQ Ultra High Quality is a trademark of Canon, Inc.

This documentation has been designed so that you can easily use your machine to suit your particular needs. Setting up the machine. Setting up paper. Installing Printer Driver. Setup Instructions Document and paper handling. This means that the machine does not produce hazardous laser radiation. You can also register your copier with us. Call the Canon USA Consumer Information Center between 8 a.m. and 8 p.m. EST, Monday through Friday, except holidays. In order to use the machine safely, always pay attention to these warnings. Also do not place heavy objects on the power cord, pull on it, or extensively bend it. Also do not spill water, liquid or inflammable substances inside the machine. If these items come into contact with high voltage parts inside of the machine, it may result in a fire or electrical shock. If these items are dropped or spilled in the machine, unplug the power cord immediately with dry hands. Then, contact your service representative. Front View ADF AUTOMATIC DOCUMENT FEEDER Open to place a document on the platen glass. PLATEN UNIT LEVER Use it to release and slide the platen unit. PLATEN UNIT Slide it to the left when you install the cartridge, or remove jammed paper. ADF ROLLER Feeds documents from the ADF to the scanning unit. PLATEN GLASS CONTROL PANEL Controls the machine. DOCUMENT FEEDER TRAY DOCUMENT OUTPUT SLOT Documents come out here. DOCUMENT OUTPUT TRAY Introduction 1 FEEDER COVER SLIDE GUIDE Adjusts to the width of the document. LCD Displays messages and prompts during operation. Also displays selections, text and numbers when specifying settings. Additional Functions Key Customizes the way your machine operates. When no operations are performed for about five minutes, the machine automatically enters the energy saver mode. Some types of paper available at office supply stores may not be suitable for this machine. If you have any questions about paper and transparencies, consult your dealer or Canon Customer Relations.

If copying is performed when the cassette is not pushed in completely, it will cause a paper jam. If copy paper is sticking out of the cassette Sometimes, when you pull out the cassette, paper may stick out, as shown in the illustration below. Make sure that the paper is neatly loaded into the cassette, before you push the cassette back into the main unit. You can adjust the cassette to hold

the following standard paper sizes LGL and LTR. IMPORTANT NOTE 2 Pull out the paper tray. Using other envelopes may affect the quality of the print image. 1 Arrange the stack of envelopes on a firm, 4 Insert the stack of envelopes into the multi clean surface, and press down firmly on the edges to make the folds crisp. Three modes are available for adjusting image quality. 1 Press Image Quality to select the image quality. PRESS THE START KEY 48 SCANNING 0015 Ex C O P Y N O. Two lettersize documents are automatically reduced to fit on a lettersize page. In this case, load the letter size paper in the cassette or multipurpose tray and set the 2 on 1 copy again. Copy of the first page of the document Turn over the copy Insert Inner side Front side NOTE Making Copies ABC ADF. CBA Copy of the first page of the document ABC CBA 321 2 Place the next page of the document on the platen glass. This section describes the necessary cleaning procedures for your machine. This is caused by paste, ink, correction fluid, or other foreign matter in the read area between and of the platen glass. Use a clean soft cloth to wipe the read area clean. Take particular care to clean at the locations where the black lines are appearing on copies. In this case, you can clean the ADF roller using the Additional Functions. NOTE If white streaks or light bands are displayed on copies, or REPLACE CARTRIDGE appears on the LCD, the toner in the cartridge is running low. And, grip the sealing tape tab and snap it in the direction as shown below. Make sure that the tab itself is detached from the cartridge.

Residents of Alaska and Hawaii Do not use the UPS authorized returning label. For Alaska and Hawaii Canon set up alternative mail service with the U.S. Postal Service. Please call 1800OKCANON to receive U.S. Postal Service merchandise returning label. Do not lift the machine by any of its attachments. Dropping the machine can cause personal injury. Removing Jammed Paper from Inside the Main Unit When print media jams inside the main unit, the LCD displays REC. PAPER JAM and SLIDE PLATEN LEFT. Then, push the cassette back into the main unit. This section describes the general messages and ones related to copy functions. Message Cause Action When collating copies or making a 2 on 1 copy of documents using the platen glass, Start is pressed before replacing a document. Replace the document then press Start. PAPER JAM SLIDE PLATEN LEFT There is a paper jam. Remove or change the document from the platen glass. REPLACE CARTRIDGE The toner inside the cartridge is running low. Multiple sheets feed into the machine at the same time. The machine will not make a copy. There are shaded parts on the bottoms of copies. The Alarm indicator comes on. The letter "E" and numbers appear in the LCD. If the message is still displayed, unplug the machine and call your service representative. Ex ADDITIONAL FUNCTIONS 2.COPY SETTINGS 3 Press Set. OFF Select when you do not select the size of paper in the multipurpose tray. FREE SIZE Free size SET ON LOADING Select when specifying the paper size each time you use the multipurpose tray. The envelope type can also be specified in SET ON LOADING. IMAGEQUALITY Select the document type. MANUAL The exposure is adjusted automatically. The exposure is adjusted manually. Sets the auto clear function. AUTO CLEAR ON The auto clear function is turned on. 1 to 9 MIN. 2 MIN. OFF The auto clear function is turned off. The energy saver mode can be set. ENERGY SAVER ON The energy saver mode is set. 3 to 30 MIN. 5 MIN. OFF The energy saver mode is turned off.

The time of each day to execute the energy saver function can be set. Please call us for the most accurate information. Please contact us for options. Precision Roller is in no way affiliated, sponsored or endorsed by these copyright owners or their affiliates or dealers This website uses a secure server to encrypt all sensitive information. We delete comments that violate our policy, which we encourage you to read. Discussion threads can be closed at any time at our discretion. Something went wrong. View cart for details. All Rights Reserved. User Agreement, Privacy, Cookies and AdChoice Norton Secured powered by Verisign. To calculate the overall star rating and percentage breakdown by star, we don't use a simple average. Instead, our system considers things like how recent a review is and if the reviewer bought the item on Amazon. It also analyzes reviews to verify trustworthiness. See All Buying Options Add to Wish List Disabling it will result in some disabled or

missing features. You can still see all customer reviews for the product. I have 2 XP machines and 1 Vista machine on my home network, but must reset the port each time I boot up on the Vista machine. Have also had the network connection to the printer fail twice on the XP machines. 3 Got passed off to Canon when I contacted Axis for customer support. They claimed that product was produced for Canon and Canon was responsible for customer technical support. Canon in turn responded with boilerplate tech support that had no chance of correcting the problems I was having with Vista. I am not sure what the alternatives are, but I would avoid this product if at all possible. Please try again later. Bill Meyers 2.0 out of 5 stars I have 2 XP machines and 1 Vista machine on my home network, but must reset the port each time I boot up on the Vista machine. Have also had the network connection to the printer fail twice on the XP machines. 3 Got passed off to Canon when I contacted Axis for customer support.

They claimed that product was produced for Canon and Canon was responsible for customer technical support. Canon in turn responded with boilerplate tech support that had no chance of correcting the problems I was having with Vista. I am not sure what the alternatives are, but I would avoid this product if at all possible. Please try again later. Please try again later. Regina 5.0 out of 5 stars Please try again later. Please try again later. Rustfinger 5.0 out of 5 stars It takes about 15 minutes to set up the hardware and 10 minutes or so per pc to set up software. Printing is good, and scanning requires some extra steps to capture the scan. You need to lock out the other users while you scan with an additional program. Sometimes it is necessary to reboot, i.e. power off and on, in order to reconnect. Overall, it works very well. Especially considering that I don't think there are any other print servers that will work with the canon MF models or at least the one I have. So just buy it, after the sting of the high price wears off, the satisfaction of a solid printer on your network will take over. Tom Please try again later. Please try again later. P. Wang 3.0 out of 5 stars It says there's an error and never connect successfully. It works fine on my laptop running XP though. Please try again later. Please try again later. S. Waldo 3.0 out of 5 stars Setting up 4 machines. two Vistas one 32bit and one 64bit and two XP laptops. P. Printing works from all four machines, but server does need to be rebooted unplugged from power supply sometimes to reinitialize. I gave up on the CD. programs are older versions. downloaded all programs from the website. Scan and print seem to be working well from both XP machines. Please try again later. Please try again later. Bama Fan 5.0 out of 5 stars It was easy to set up and is easy to use. Had no problems at all. Please try again later. Please try again later. Download Nikon D6 Manuals here.